

English

Dehaco offers  
complete assembly  
and conversion

**Customised service  
for your machine!**



# **OILQUICK®** **Quick coupler systems**

*DEHACO. The best equipment for a new beginning...*




## Change between different mechanical and hydraulic work tools from your cab!

OilQuick is an automatic quick coupler system for excavators, by means of which hydraulic work tools can be connected and disconnected from the driver's cab. Within a few seconds, the driver can change between different work tools, such as hydraulic breakers, steel or concrete crushers, sorting grabs, hydraulic magnets, hydraulic compactors, etc.

OilQuick quick coupler systems are available in various models for 1 to 120 tonne excavators.



Dehaco is an official Clean System partner of OilQuick. Working safely is of paramount importance at Dehaco and we are therefore constantly working on innovative solutions. By participating in the Clean System partnership, we are able to contribute to an even safer working environment.



### Functionality and safety

*Carefully considered down to the last detail*

- Robust quick coupler - accurate, made of high quality steel
- Provided with fall arrest
- Wear-free OilQuick adapter frames with loading aid
- H cylinder with quick couplers: connecting hydraulic circuits and locking quick couplers with one cylinder movement
- Several pressure holding valves - for a secure connection, even when a hose breaks

## OilQuick quick coupler systems



*Mechanical adapter*



*Weld adapter*



*Screw adapter*



*Adapter for suspended work tools*

## Technical specifications

	WIDTH	CENTRE DISTANCE	WEIGHT	EXCAVATOR WEIGHT	MAX. NUMBER OF COUPLINGS	ELECTRIC
OQ 40	240	300	approx 30 kg	1–5 t	4	–
OQ 40-5	270	300	approx 30 kg	1–6 t	5	–
OQ 45-5	290	430	approx 85 kg	5–12 t	5	yes
OQ 60-5	340	480	approx 135 kg	8–15 t	5	yes
OQ 65	440	530	approx 170 kg	14–22 t	5	yes
OQ RAIL	440	530	approx 170 kg	14–22 t	8	yes
OQ 70	450	600	approx 210 kg	15–25 t	5	yes
OC 70/55	550	600	approx 230 kg	18–32 t	6	yes
OQ 80	590	670	approx 350 kg	25–43 t	6	yes
OQ 90	750	750	on request	40–70 t	9	yes
OQ 120	870	925	on request	70–120 t	8	yes

**Save time • Strong and safe**  
**Work more efficiently • Compact**



*Screw adapters*






# Dehaco Products



Please contact your dealer for more information:



© Copyright 2023, Dehaco B.V.

Dehaco reserves the right to make changes to the products. We accept no liability for printing and setting errors.

The actual colours of the products may differ slightly from the printed colours.

  
**DEHACO**  
[WWW.DEHACO.NL](http://WWW.DEHACO.NL)

Dehaco B.V. • Kruisbaak 25 • 2165 AJ Lissersbroek (NL) • T +31 (0)88 20 20 600 • [info@dehaco.nl](mailto:info@dehaco.nl)